

連続測定に関する事項

(単位:℃)

	燃焼炉内温度		冷却缶出口ガス温度		備考
	最大値	最小値	最大値	最小値	
2025/4/1	911	887	77.3	75.1	
2025/4/2	902	896	76.9	75.5	
2025/4/3	902	897	76.8	75.7	
2025/4/4	901	898	76.7	75.8	
2025/4/5	902	895	77.0	75.7	
2025/4/6	902	898	77.1	76.1	
2025/4/7	902	897	77.9	76.0	
2025/4/8	913	881	77.7	75.5	
2025/4/9	902	898	78.1	76.3	
2025/4/10	902	896	78.0	76.2	
2025/4/11	902	898	78.2	76.1	
2025/4/12	905	894	78.0	76.1	
2025/4/13	904	894	77.9	75.8	
2025/4/14	904	892	77.5	75.9	
2025/4/15	905	896	77.5	75.6	
2025/4/16	914	879	78.5	75.9	
2025/4/17	902	898	78.0	76.1	
2025/4/18	902	899	78.0	76.1	
2025/4/19	901	898	78.4	76.6	
2025/4/20	902	898	78.7	76.9	
2025/4/21	901	898	78.6	76.9	
2025/4/22	902	897	78.6	76.9	
2025/4/23	902	898	78.7	76.9	
2025/4/24	902	897	78.8	76.7	
2025/4/25	902	897	78.8	76.9	
2025/4/26	902	898	78.5	77.0	
2025/4/27	907	882	78.4	77.0	
2025/4/28	901	898	78.2	76.9	
2025/4/29	902	898	78.4	76.7	
2025/4/30	902	897	78.1	75.4	

連続測定に関する事項

(単位:℃)

	燃焼炉内温度		冷却缶出口ガス温度		備考
	最大値	最小値	最大値	最小値	
2025/3/1	901	898	76.6	74.6	
2025/3/2	902	897	76.6	74.8	
2025/3/3	901	898	76.7	74.6	
2025/3/4	907	891	76.2	74.1	
2025/3/5	902	897	75.4	74.6	
2025/3/6	902	896	76.2	74.6	
2025/3/7	902	896	76.2	74.7	
2025/3/8	902	898	76.2	74.7	
2025/3/9	902	898	76.3	74.7	
2025/3/10	902	898	76.8	74.8	
2025/3/11	909	890	75.6	74.2	
2025/3/12	902	897	76.7	75.0	
2025/3/13	902	898	76.7	75.2	
2025/3/14	902	896	76.5	75.3	
2025/3/15	901	898	75.9	75.0	
2025/3/16	904	894	75.9	74.9	
2025/3/17	902	898	77.2	74.9	
2025/3/18	909	891	75.4	74.2	
2025/3/19	902	898	75.7	74.7	
2025/3/20	902	898	75.7	74.8	
2025/3/21	902	899	76.8	74.7	
2025/3/22	902	898	76.2	75.1	
2025/3/23	902	898	76.4	75.1	
2025/3/24	902	898	76.7	75.4	
2025/3/25	908	891	76.7	74.9	
2025/3/26	902	898	77.1	75.8	
2025/3/27	902	897	77.4	75.9	
2025/3/28	903	897	77.5	76.1	
2025/3/29	901	898	77.3	75.6	
2025/3/30	902	898	77.1	75.6	
2025/3/31	902	897	77.0	75.8	

連続測定に関する事項

(単位:℃)

	燃焼炉内温度		冷却缶出口ガス温度		備考
	最大値	最小値	最大値	最小値	
2025/2/1	902	897	76.5	74.3	
2025/2/2	903	896	76.5	74.2	
2025/2/3	912	879	76.5	73.9	
2025/2/4	903	893	75.6	73.6	
2025/2/5	902	897	75.8	73.4	
2025/2/6	903	897	76.1	73.5	
2025/2/7	903	896	75.6	73.2	
2025/2/8	903	897	75.9	73.6	
2025/2/9	902	897	74.7	73.4	
2025/2/10	907	893	74.7	72.8	
2025/2/11	902	897	75.7	73.6	
2025/2/12	903	897	75.6	73.3	
2025/2/13	903	897	75.9	73.5	
2025/2/14	906	892	76.2	73.6	
2025/2/15	908	885	76.5	73.9	
2025/2/16	908	884	76.6	74.0	
2025/2/17	901	898	76.4	74.6	
2025/2/18	907	892	76.6	73.9	
2025/2/19	910	893	76.7	73.8	
2025/2/20	901	899	76.5	74.5	
2025/2/21	901	898	76.5	74.5	
2025/2/22	902	898	75.5	74.3	
2025/2/23	902	898	76.5	74.4	
2025/2/24	903	897	76.6	74.2	
2025/2/25	909	891	75.5	73.7	
2025/2/26	901	898	75.9	74.2	
2025/2/27	901	898	75.8	74.2	
2025/2/28	901	899	76.0	74.5	

連続測定に関する事項

(単位:℃)

	燃焼炉内温度		冷却缶出口ガス温度		備考
	最大値	最小値	最大値	最小値	
2025/1/1	901	899	76.1	74.4	
2025/1/2	902	899	76.1	74.2	
2025/1/3	901	899	76.1	74.5	
2025/1/4	901	899	76.3	74.8	
2025/1/5	901	899	76.4	74.6	
2025/1/6	902	896	76.0	72.6	
2025/1/7	901	899	76.4	72.9	
2025/1/8	901	899	75.9	73.6	
2025/1/9	904	897	75.3	73.0	
2025/1/10	903	897	75.2	73.0	
2025/1/11	903	897	74.8	72.7	
2025/1/12	903	897	75.1	73.0	
2025/1/13	903	896	75.3	73.1	
2025/1/14	904	895	76.2	73.2	
2025/1/15	901	899	76.1	74.0	
2025/1/16	904	897	75.9	74.0	
2025/1/17	902	896	75.8	73.5	
2025/1/18	903	896	75.6	73.4	
2025/1/19	902	897	75.7	73.5	
2025/1/20	902	896	75.5	73.7	
2025/1/21	903	896	75.7	74.1	
2025/1/22	902	896	75.7	74.4	
2025/1/23	902	896	75.7	74.1	
2025/1/24	908	891	75.9	74.2	
2025/1/25	903	897	76.0	74.8	
2025/1/26	904	897	76.1	74.7	
2025/1/27	902	898	75.9	74.5	
2025/1/28	903	897	76.5	74.5	
2025/1/29	902	896	76.7	74.4	
2025/1/30	902	897	76.8	74.3	
2025/1/31	902	897	77.1	74.5	

連続測定に関する事項

(単位:℃)

	燃焼炉内温度		冷却缶出口ガス温度		備考
	最大値	最小値	最大値	最小値	
2024/12/1	－	－	－	－	停止中
2024/12/2	－	－	－	－	停止中
2024/12/3	－	－	－	－	停止中
2024/12/4	－	－	－	－	停止中
2024/12/5	－	－	－	－	13:30～ヒーティング*
2024/12/6	903	874	84.5	65.9	
2024/12/7	901	899	84.9	83.7	
2024/12/8	901	899	84.9	84.0	
2024/12/9	909	896	85.3	83.9	
2024/12/10	901	899	85.1	84.1	
2024/12/11	901	899	85.1	84.1	
2024/12/12	901	899	85.3	84.2	
2024/12/13	916	893	85.3	84.1	
2024/12/14	901	898	85.3	84.3	
2024/12/15	901	898	85.2	84.2	
2024/12/16	904	898	85.3	84.3	
2024/12/17	904	894	84.7	76.8	
2024/12/18	901	899	77.8	76.8	
2024/12/19	901	899	77.4	76.4	
2024/12/20	902	899	77.6	76.5	
2024/12/21	901	899	77.3	76.5	
2024/12/22	901	899	77.5	76.5	
2024/12/23	901	898	77.7	76.3	
2024/12/24	911	897	77.8	76.5	
2024/12/25	901	899	77.1	75.8	
2024/12/26	914	886	77.6	76.2	
2024/12/27	901	899	77.9	75.0	
2024/12/28	901	899	76.1	74.8	
2024/12/29	901	899	76.1	74.8	
2024/12/30	901	899	76.0	74.7	
2024/12/31	901	898	76.0	74.4	

連続測定に関する事項

(単位:℃)

	燃焼炉内温度		冷却缶出口ガス温度		備考
	最大値	最小値	最大値	最小値	
2024/11/1	902	899	80.6	78.9	
2024/11/2	903	899	81.2	78.7	
2024/11/3	902	899	81.3	78.5	
2024/11/4	901	899	80.2	78.5	
2024/11/5	922	857	81.1	76.9	
2024/11/6	904	895	81.7	80.3	
2024/11/7	903	898	81.5	80.3	
2024/11/8	902	899	81.5	80.3	
2024/11/9	925	879	81.6	80.0	
2024/11/10	906	894	81.2	80.1	
2024/11/11	904	894	81.1	80.0	
2024/11/12	909	889	81.7	79.7	
2024/11/13	913	844	81.2	79.8	
2024/11/14	925	832	81.0	78.7	
2024/11/15	911	864	81.2	79.9	
2024/11/16	902	882	81.4	80.4	
2024/11/17	904	884	81.4	80.2	
2024/11/18	906	897	81.2	80.3	
2024/11/19	908	894	80.9	79.5	
2024/11/20	901	899	80.7	79.5	
2024/11/21	901	899	80.4	79.2	
2024/11/22	902	890	80.5	79.1	
2024/11/23	901	899	80.7	79.5	
2024/11/24	958	315	80.5	20.7	9:00冷却開始、18:00停止
2024/11/25	－	－	－	－	停止中
2024/11/26	－	－	－	－	停止中
2024/11/27	－	－	－	－	停止中
2024/11/28	－	－	－	－	停止中
2024/11/29	－	－	－	－	停止中
2024/11/30	－	－	－	－	停止中

連続測定に関する事項

(単位:℃)

	燃焼炉内温度		冷却缶出口ガス温度		備考
	最大値	最小値	最大値	最小値	
2024/10/1	903	895	79.5	77.1	
2024/10/2	901	899	80.9	77.3	
2024/10/3	902	898	79.7	77.7	
2024/10/4	901	898	79.2	77.8	
2024/10/5	901	899	79.3	77.5	
2024/10/6	902	899	79.0	77.4	
2024/10/7	903	897	79.5	77.5	
2024/10/8	903	896	79.4	77.7	
2024/10/9	901	898	79.2	77.5	
2024/10/10	901	899	78.9	77.7	
2024/10/11	902	898	79.3	77.5	
2024/10/12	902	899	79.3	77.9	
2024/10/13	902	899	79.4	77.9	
2024/10/14	901	899	79.6	78.0	
2024/10/15	903	898	79.7	77.5	
2024/10/16	902	898	80.0	78.1	
2024/10/17	901	899	80.1	77.9	
2024/10/18	901	897	81.7	78.1	
2024/10/19	902	899	81.9	80.0	
2024/10/20	901	899	81.6	79.8	
2024/10/21	906	884	81.5	79.7	
2024/10/22	903	896	81.4	79.1	
2024/10/23	901	899	81.5	79.3	
2024/10/24	901	898	81.3	79.3	
2024/10/25	902	898	81.8	79.2	
2024/10/26	901	898	82.0	79.4	
2024/10/27	901	899	81.5	79.2	
2024/10/28	901	898	81.6	79.2	
2024/10/29	904	893	81.5	78.7	
2024/10/30	901	898	81.1	79.2	
2024/10/31	902	899	81.4	78.9	

連続測定に関する事項

(単位:℃)

	燃焼炉内温度		冷却缶出口ガス温度		備考
	最大値	最小値	最大値	最小値	
2024/9/1	901	899	81.2	78.9	
2024/9/2	902	898	80.8	78.5	
2024/9/3	906	898	80.9	78.6	
2024/9/4	901	899	80.8	78.9	
2024/9/5	901	899	81.0	78.5	
2024/9/6	901	899	80.9	78.8	
2024/9/7	901	899	80.9	78.7	
2024/9/8	901	899	81.0	78.8	
2024/9/9	902	898	80.9	78.9	
2024/9/10	906	894	81.0	79.0	
2024/9/11	901	899	81.8	78.1	
2024/9/12	901	899	79.9	78.0	
2024/9/13	902	898	80.3	78.9	
2024/9/14	901	899	79.5	77.7	
2024/9/15	901	899	79.2	77.7	
2024/9/16	901	899	79.9	77.5	
2024/9/17	906	892	80.3	78.9	
2024/9/18	901	899	80.0	78.5	
2024/9/19	901	899	79.9	78.7	
2024/9/20	902	898	80.3	77.7	
2024/9/21	901	899	79.7	77.4	
2024/9/22	901	899	79.0	77.4	
2024/9/23	901	899	79.6	77.0	
2024/9/24	906	894	80.6	77.1	
2024/9/25	901	899	80.0	77.3	
2024/9/26	900	900	79.8	77.4	
2024/9/27	901	899	79.6	77.3	
2024/9/28	901	899	79.5	77.3	
2024/9/29	901	899	79.3	77.7	
2024/9/30	902	899	79.7	77.8	

連続測定に関する事項

(単位:℃)

	燃焼炉内温度		冷却缶出口ガス温度		備考
	最大値	最小値	最大値	最小値	
2024/8/1	914	890	83.5	81.2	
2024/8/2	902	898	83.8	82.1	
2024/8/3	901	898	83.6	81.9	
2024/8/4	902	898	83.5	81.9	
2024/8/5	903	898	84.2	81.5	
2024/8/6	904	898	83.8	82.1	
2024/8/7	901	899	83.5	82.1	
2024/8/8	903	898	83.8	82.3	
2024/8/9	903	899	83.5	80.6	
2024/8/10	901	899	81.5	80.5	
2024/8/11	901	899	82.1	80.4	
2024/8/12	901	899	81.8	80.6	
2024/8/13	901	899	81.8	80.5	
2024/8/14	901	899	82.0	80.6	
2024/8/15	901	899	81.8	80.6	
2024/8/16	901	897	82.2	80.7	
2024/8/17	901	899	82.4	81.0	
2024/8/18	901	898	82.4	80.7	
2024/8/19	901	899	82.3	78.5	
2024/8/20	901	898	81.2	78.8	
2024/8/21	901	899	81.3	79.8	
2024/8/22	903	899	83.2	79.6	
2024/8/23	901	899	83.0	80.2	
2024/8/24	901	899	82.2	80.1	
2024/8/25	901	899	81.7	79.8	
2024/8/26	902	897	81.9	79.7	
2024/8/27	902	899	82.0	79.6	
2024/8/28	901	899	81.9	78.8	
2024/8/29	901	899	81.9	78.6	
2024/8/30	901	899	81.9	79.3	
2024/8/31	901	899	81.2	78.9	

連続測定に関する事項

(単位:℃)

	燃焼炉内温度		冷却缶出口ガス温度		備考
	最大値	最小値	最大値	最小値	
2024/7/1	901	899	81.1	79.2	
2024/7/2	906	895	81.3	79.0	
2024/7/3	903	899	82.1	79.1	
2024/7/4	907	896	82.0	80.4	
2024/7/5	902	898	81.7	80.3	
2024/7/6	901	899	82.1	80.5	
2024/7/7	902	898	82.2	81.0	
2024/7/8	905	897	82.6	80.9	
2024/7/9	901	899	83.2	80.4	
2024/7/10	901	899	82.5	80.1	
2024/7/11	901	899	82.2	81.0	
2024/7/12	903	897	82.0	80.7	
2024/7/13	901	899	81.6	80.6	
2024/7/14	901	898	81.6	80.6	
2024/7/15	901	899	82.0	80.6	
2024/7/16	902	897	82.2	80.8	
2024/7/17	902	899	82.0	79.3	
2024/7/18	901	899	80.6	79.3	
2024/7/19	901	899	80.2	79.4	
2024/7/20	901	899	80.5	79.6	
2024/7/21	901	899	80.7	79.8	
2024/7/22	902	897	80.7	79.9	
2024/7/23	901	899	81.0	80.0	
2024/7/24	901	899	81.6	80.2	
2024/7/25	901	899	81.8	80.3	
2024/7/26	901	899	81.8	80.3	
2024/7/27	901	899	81.9	80.5	
2024/7/28	901	899	82.0	80.4	
2024/7/29	903	897	82.5	80.5	
2024/7/30	902	896	83.2	81.6	
2024/7/31	902	896	83.6	82.0	

連続測定に関する事項

(単位:℃)

	燃焼炉内温度		冷却缶出口ガス温度		備考
	最大値	最小値	最大値	最小値	
2024/6/1	903	898	79.2	77.8	
2024/6/2	901	899	78.8	77.8	
2024/6/3	901	899	79.3	77.9	
2024/6/4	903	895	80.3	78.0	
2024/6/5	902	899	79.7	78.1	
2024/6/6	907	886	80.0	78.3	
2024/6/7	901	899	80.4	78.4	
2024/6/8	901	899	80.4	78.7	
2024/6/9	901	899	80.4	78.9	
2024/6/10	902	899	80.2	78.8	
2024/6/11	901	892	80.5	78.9	
2024/6/12	901	899	80.3	79.0	
2024/6/13	901	899	80.5	78.7	
2024/6/14	901	899	80.6	78.9	
2024/6/15	901	899	80.8	79.2	
2024/6/16	901	898	80.7	79.1	
2024/6/17	902	899	81.3	79.1	
2024/6/18	902	899	81.2	79.4	
2024/6/19	901	899	80.5	78.8	
2024/6/20	901	899	81.1	78.8	
2024/6/21	901	899	80.0	78.8	
2024/6/22	901	899	80.8	79.0	
2024/6/23	901	899	80.9	78.9	
2024/6/24	902	899	80.9	79.1	
2024/6/25	903	898	81.0	79.3	
2024/6/26	901	899	81.0	79.2	
2024/6/27	901	899	81.1	79.4	
2024/6/28	901	898	81.0	79.1	
2024/6/29	901	899	79.7	78.6	
2024/6/30	901	899	79.9	78.9	

連続測定に関する事項

(単位:℃)

	燃焼炉内温度		冷却缶出口ガス温度		備考
	最大値	最小値	最大値	最小値	
2024/5/1	910	891	80.3	76.1	
2024/5/2	904	893	80.5	79.2	
2024/5/3	901	899	80.3	78.9	
2024/5/4	901	899	80.2	78.9	
2024/5/5	901	899	80.5	79.3	
2024/5/6	901	899	80.7	79.7	
2024/5/7	908	894	81.0	79.6	
2024/5/8	903	899	80.5	79.4	
2024/5/9	903	894	80.4	79.1	
2024/5/10	903	895	80.2	79.0	
2024/5/11	902	898	80.5	79.3	
2024/5/12	903	897	80.9	79.7	
2024/5/13	905	892	81.2	79.5	
2024/5/14	905	893	80.6	79.3	
2024/5/15	901	898	80.2	78.8	
2024/5/16	901	899	79.9	78.8	
2024/5/17	905	895	80.3	78.8	
2024/5/18	901	899	79.7	78.6	
2024/5/19	954	361	79.8	25.4	9:00～ 冷却停止
2024/5/20	－	－	－	－	10:30停止
2024/5/21	－	－	－	－	停止中(計画停電)
2024/5/22	－	－	－	－	停止中(計画停電～復帰)
2024/5/23	－	－	－	－	停止中
2024/5/24	－	－	－	－	停止中
2024/5/25	－	－	－	－	停止中
2024/5/26	－	－	－	－	停止中
2024/5/27	－	－	－	－	停止中
2024/5/28	－	－	－	－	停止中
2024/5/29	－	－	－	－	停止中
2024/5/30	－	－	－	－	14:00～ヒータリング(燃焼開始)
2024/5/31	902	835	80.5	68.3	

連続測定に関する事項

(単位:℃)

	燃焼炉内温度		冷却缶出口ガス温度		備考
	最大値	最小値	最大値	最小値	
2024/4/1	904	897	85.5	84.5	
2024/4/2	908	893	85.6	84.4	
2024/4/3	901	899	86.0	84.7	
2024/4/4	903	897	85.8	84.7	
2024/4/5	906	891	86.1	84.9	
2024/4/6	902	898	85.7	84.7	
2024/4/7	902	897	85.8	84.7	
2024/4/8	902	897	86.0	84.6	
2024/4/9	906	895	86.0	84.5	
2024/4/10	903	898	86.0	84.7	
2024/4/11	903	897	86.0	84.8	
2024/4/12	905	896	86.4	85.3	
2024/4/13	904	896	86.7	85.5	
2024/4/14	903	896	86.8	85.5	
2024/4/15	904	897	87.2	85.8	
2024/4/16	907	876	87.0	80.9	
2024/4/17	903	896	86.6	85.7	
2024/4/18	905	887	87.0	85.8	
2024/4/19	910	891	87.3	80.4	
2024/4/20	902	896	82.6	81.7	
2024/4/21	902	898	83.3	81.8	
2024/4/22	905	894	83.7	81.6	
2024/4/23	905	895	86.1	79.6	
2024/4/24	902	898	86.2	85.2	
2024/4/25	904	894	86.1	84.6	
2024/4/26	904	891	86.1	84.9	
2024/4/27	904	890	86.3	85.1	
2024/4/28	904	893	86.0	85.1	
2024/4/29	903	897	86.1	85.1	
2024/4/30	907	891	86.0	78.9	